

**More Fittings. Higher Quality. Superior Service.**

ISO 9001:2015

Home > Fittings & Adapters > Stainless Adapters > Oring Boss SAE/ORB >

**SAE O-RING BOSS ORB MALE TO NPT PIPE FEMALE ADAPTER (STAINLESS)****Material:** 316 Stainless Steel**Standards:** ASME B1.20.1, SAE AS71051**Comparable:** AEROQUIP 2216, PARKER F50G-SS, SSP GCF[« View Larger Photo](#)**SAE O-Ring Boss ORB Male to NPT Pipe Female Adapter**

Item#	Item Name	Our Price	Qty	Add
SS-6405-02-0 2	SS-6405-02-02 1/8" ORB (5/16"-24 thread) Male x 1/8" Female Pipe - Stainless Steel	\$31.87		
SS-6405-04-0 2	SS-6405-04-02 1/4" ORB (1-5/8"-12 thread) Male x 1/8" Female Pipe - Stainless Steel	\$31.55		
SS-6405-04-0 4	SS-6405-04-04 1/4" ORB (1-5/8"-12 thread) Male x 1/4" Female Pipe - Stainless Steel	\$31.29		
SS-6405-05-0 4	SS-6405-05-04 5/16" ORB (1/2"-20 thread) Male x 1/4" Female Pipe - Stainless Steel	\$30.30		
SS-6405-06-0 4	SS-6405-06-04 3/8" ORB (9/16"-18 thread) Male x 1/4" Female Pipe - Stainless Steel	\$24.07		
SS-6405-06-0 6	SS-6405-06-06 3/8" ORB (9/16"-18 thread) Male x 3/8" Female Pipe - Stainless Steel	\$40.86		

SS-6405-06-08	SS-6405-06-08 3/8" ORB (9/16"-18 thread) Male x 1/2" Female Pipe - Stainless Steel	\$41.02		
SS-6405-08-02	SS-6405-08-02 1/2" ORB (3/4"-16 thread) Male x 1/8" Female Pipe - Stainless Steel	\$75.11		
SS-6405-08-04	SS-6405-08-04 1/2" ORB (3/4"-16 thread) Male x 1/4" Female Pipe - Stainless Steel	\$38.51		
SS-6405-08-06	SS-6405-08-06 1/2" ORB (3/4"-16 thread) Male x 3/8" Female Pipe - Stainless Steel	\$36.11		
SS-6405-08-08	SS-6405-08-08 1/2" ORB (3/4"-16 thread) Male x 1/2" Female Pipe - Stainless Steel	\$55.37		
SS-6405-08-12	SS-6405-08-12 - 1/2" ORB (3/4"-16 thread) Male x 3/4" Female Pipe - Stainless Steel	\$62.59		
SS-6405-10-04	SS-6405-10-04 5/8" ORB (7/8"-14 thread) Male x 1/4" Female Pipe - Stainless Steel	\$35.04		
SS-6405-10-06	SS-6405-10-06 5/8" ORB (7/8"-14 thread) Male x 3/8" Female Pipe - Stainless Steel	\$37.10		
SS-6405-10-08	SS-6405-10-08 5/8" ORB (7/8"-14 thread) Male x 1/2" Female Pipe - Stainless Steel	\$63.09		
SS-6405-10-12	SS-6405-10-12 5/8" ORB (7/8"-14 thread) Male x 3/4" Female Pipe - Stainless Steel	\$55.08		
SS-6405-12-04	SS-6405-12-04 3/4" ORB (1 1/16"-12 thread) Male x 1/4" Female Pipe - Stainless Steel	\$40.02		
SS-6405-12-06	SS-6405-12-06 3/4" ORB (1 1/16"-12 thread) Male x 3/8" Female Pipe - Stainless Steel	\$38.04		
SS-6405-12-08	SS-6405-12-08 3/4" ORB (1 1/16"-12 thread) Male x 1/2" Female Pipe - Stainless Steel	\$44.89		
SS-6405-12-12	SS-6405-12-12 3/4" ORB (1 1/16"-12 thread) Male x 3/4" Female Pipe - Stainless Steel	\$48.14		
SS-6405-14-08	SS-6405-14-08 - 7/8" ORB (1 3/16"-12 thread) Male x 1/2" Female Pipe - Stainless Steel	\$83.39		
SS-6405-14-12	SS-6405-14-12 - 7/8" ORB (1 3/16"-12 thread) Male x 3/5" Female Pipe - Stainless Steel	\$84.15		
SS-6405-16-08	SS-6405-16-08 1" ORB (1 5/16"-12 thread) Male x 1/2" Female Pipe - Stainless Steel	\$88.33		
SS-6405-16-12	SS-6405-16-12 1" ORB (1 5/16"-12 thread) Male x 3/4" Female Pipe - Stainless Steel	\$95.53		

SS-6405-16-1 6	SS-6405-16-16 1" ORB (1 5/16"-12 thread) Male x 1" Female Pipe - Stainless Steel	\$72.22		
SS-6405-16-2 0	SS-6405-16-20 1" ORB (1 5/16"-12 thread) Male x 1 1/4" Female Pipe - Stainless Steel	\$74.18		
SS-6405-20-1 2	SS-6405-20-12 1 1/4" ORB (1-5/8"-12 thread) Male x 3/4" Female Pipe - Stainless Steel	\$115.56		
SS-6405-20-1 6	SS-6405-20-16 1 1/4" ORB (1-5/8"-12 thread) Male x 1" Female Pipe - Stainless Steel	\$97.51		
SS-6405-20-2 0	SS-6405-20-20 1 1/4" ORB (1-5/8"-12 thread) Male x 1 1/4" Female Pipe - Stainless Steel	\$157.41		
SS-6405-20-2 4	SS-6405-20-24 1 1/4" ORB (1-5/8"-12 thread) Male x 1 1/2" Female Pipe - Stainless Steel	\$309.43		
SS-6405-24-1 2	SS-6405-24-12 1 1/2" ORB (1-7/8"-12 thread) Male x 3/4" Female Pipe - Stainless Steel	\$148.98		
SS-6405-24-1 6	SS-6405-24-16 1 1/2" ORB (1-7/8"-12 thread) Male x 1" Female Pipe - Stainless Steel	\$150.48		
SS-6405-24-2 0	SS-6405-24-20 1 1/2" ORB (1-7/8"-12 thread) Male x 1 1/4" Female Pipe - Stainless Steel	\$204.12		
SS-6405-24-2 4	SS-6405-24-24 1 1/2" ORB (1-7/8"-12 thread) Male x 1 1/2" Female Pipe - Stainless Steel	\$200.07		
SS-6405-32-3 2	SS-6405-32-32 2" ORB (2 1/2"-12 thread) Male x 2" Female Pipe - Stainless Steel	\$292.61		

Check the items you wish to purchase, then click



Features:

SAE O-Ring Boss ORB Male to NPTF Pipe Female Adapter (Stainless)

Material: 316 Stainless Steel

Standards: ASME B1.20.1, SAE AS71051

Intercomparable: AEROQUIP 2216, PARKER F50G-SS, SSP GCF


Product Details:

Pressure Ratings:

SAE J514 Pressure Ratings					
Nom. SAE Dash Size	Nom. Tube O.D. Inches	37 Degree Flare Straight Thread	Nom. Pipe Size	SAE Standard Thread Union & Bulkhead (PSI)	Fittings With Pipe Threads (PSI)
2	1/8	5/16"-24	1/8"	5000	5000
3	3/16	3/8"-24	1/8"	5000	5000
4	1/4	7/16"-20	1/8"	5000	5000
5	5/16	1/2"-20	1/8"	5000	5000
6	3/8	9/16"-18	1/4"	5000	5000
8	1/2	3/4"-16	3/8"	4500	4000
10	5/8	7/8"-14	1/2"	3500	3000
12	3/4	1 1/16"-12	3/4"	3500	3000
14	7/8	1 3/16"-12	3/4"	3000	2500
16	1	1 5/16"-12	1"	3000	2000
20	1 1/4	1 5/8"-12	1 1/4"	2500	1150
24	1 1/2	1 7/8"-12	1 1/2"	2000	1000
32	2	2 1/2"-12	2"	1500	1000

NOTE: Since many factors influence the pressure at which a system will or will not perform satisfactory, values shown in this table should not be construed as guaranteed minimum.

Dimensional Drawings:



ITEM #	MB-1	FP-2	THREAD-1	THREAD-2	A
SS-6405-02-02	1/8	1/8	5/16-24	1/8-27	-
SS-6405-04-02	1/4	1/8	7/16-20	1/8-27	0.97
SS-6405-04-04	1/4	1/4	7/16-20	1/4-18	1.287
SS-6405-06-04	3/8	1/4	7/16-20	1/4-18	1.18
SS-6405-06-06	3/8	3/8	9/16-18	3/8-18	1.351
SS-6405-06-08	3/8	1/2	9/16-18	1/2-14	1.603
SS-6405-08-02	1/2	1/8	9/16-18	1/8-27	1.444
SS-6405-08-04	1/2	1/4	3/4-16	1/4-18	1.02
SS-6405-08-06	1/2	3/8	3/4-16	3/8-18	1.26
SS-6405-08-08	1/2	1/2	3/4-16	1/2-14	1.448
SS-6405-08-12	1/2	3/4	3/4-16	3/4-14	-
SS-6405-10-04	5/8	1/4	7/8-14	1/4-18	0.93
SS-6405-10-06	5/8	3/8	7/8-14	3/8-18	1.28
SS-6405-10-08	5/8	1/2	7/8-14	1/2-14	1.55
SS-6405-10-12	5/8	3/4	7/8-14	3/4-12	1.64
SS-6405-12-04	3/4	1/4	1 1/16-12	1/4-18	1.09

SS-6405-12-06	3/4	3/8	1 1/16-12	3/8-18	1.09
SS-6405-12-08	3/4	1/2	1 1/16-12	1/2-14	1.347
SS-6405-12-12	3/4	3/4	1 1/16-12	3/4-14	1.765
SS-6405-14-08	7/8	1/2	1 3/16-12	1/2-14	0.998
SS-6405-14-12	7/8	3/4	1 3/16-12	3/4-14	-
SS-6405-16-08	1	1/2	1 5/16-12	1/2-14	1.646
SS-6405-16-12	1	3/4	1 5/16-12	3/4-14	1.804
SS-6405-16-16	1	1	1 5/16-12	1-1 1/2	2.149
SS-6405-16-20	1	1 1/4	1 5/16-12	1 1/4-1 1/2	-
SS-6405-20-12	1 1/4	3/4	1 5/8-12	3/4-14	1.192
SS-6405-20-16	1 1/4	1	1 5/8-12	1-1 1/2	1.844
SS-6405-20-20	1 1/4	1 1/4	1 5/8-12	1 1/4-1 1/2	1.95
SS-6405-24-12	1 1/2	3/4	1 7/8-12	3/4-14	1.011
SS-6405-24-16	1 1/2	1	1 7/8-12	1-1 1/2	1.27
SS-6405-24-20	1 1/2	1 1/4	1 7/8-12	1 1/4-1 1/2	1.859
SS-6405-24-24	1 1/2	1 1/2	1 7/8-12	1 1/2-1 1/2	2.281
SS-6405-32-32	2	2	2 1/2-12	2-1 1/2	2.06

Competitor Cross Reference:

INTERCHANGEABLE WITH:					
ITEM #	AEROQUIP	PARKER	SSP	SAE	
6405-02-02	259-2216-2-2	2-1/8 F50G-SS	2X1/8GCF	90156	
6405-04-02	259-2216-2-4	4-1/8 F50G-SS	4X1/8GCF	90156	
6405-04-04	259-2216-4-4	4-1/4 F50G-SS	4X1/4GCF	90156	
6405-06-02	259-2216-2-6	6-1/8 F50G-SS	6X1/8GCF	90156	
6405-06-04	259-2216-4-6	6-1/4 F50G-SS	6X1/4GCF	90156	
6405-06-06	259-2216-6-6	6-3/8 F50G-SS	6X3/8GCF	90156	
6405-06-08	259-2216-8-6	6-1/2 F50G-SS	6X1/2GCF	90156	
6405-08-04	259-2216-4-8	8-1/4 F50G-SS	8X1/4GCF	90156	
6405-08-06	259-2216-6-8	8-3/8 F50G-SS	8X3/8GCF	90156	

6405-08-08	259-2216-8-8	8-1/2 F50G-SS	8X1/2GCF	90156
6405-08-12	259-2216-12-8	8-3/4 F50G-SS	8X3/4GCF	90156
6405-10-06	259-2216-6-10	10-3/8 F50G-SS	10X3/8GCF	90156
6405-10-08	259-2216-8-10	10-1/2 F50G-SS	10X1/2GCF	90156
6405-10-12	259-2216-12-10	10-3/4 F50G-SS	10X3/4GCF	90156
6405-12-08	259-2216-8-12	12-1/2 F50G-SS	12X1/2GCF	90156
6405-12-12	259-2216-12-12	12-3/4 F50G-SS	12X3/4GCF	90156
6405-16-08	259-2216-8-16	16-1/2 F50G-SS	16X1/2GCF	90156
6405-16-12	259-2216-12-16	16-3/4 F50G-SS	16X3/4GCF	90156
6405-16-16	259-2216-16-16	16-1 F50G-SS	16X1GCF	90156
6405-16-20	259-2216-20-16	16-1 1/4 F50G-SS	16X1-1/4GCF	90156
6405-20-12	259-2216-12-20	20-3/4 F50G-SS	20X3/4GCF	90156
6405-20-16	259-2216-16-20	20-1 F50G-SS	20X1GCF	90156
6405-20-20	259-2216-20-20	20-1 1/4 F50G-SS	20X1-1/4GCF	90156
6405-24-12	259-2216-12-24	24-3/4 F50G-SS	24X3/4GCF	90156
6405-24-16	259-2216-16-24	24-1 F50G-SS	24X1GCF	90156
6405-24-20	259-2216-20-24	24-1 1/4 F50G-SS	24X1-1/4GCF	90156
6405-24-24	259-2216-24-24	24-1 1/2 F50G-SS	24X1-1/2GCF	90156
6405-32-32	259-2216-32-32	32-2 F50G-SS	32X2GCF	90156



Newsletter Signup for our newsletter and get the latest news.

Information

[About Us](#)

[Contact](#)

[Careers](#)

[ISO 9001](#)

Products

[Product Index](#)

[Category Index](#)

[All Products](#)

[Product Catalogs](#)

Privacy and Security

[Return Policy](#)

[Terms and](#)

[Conditions](#)

Connect



[Help](#)

[US Thread Chart](#)

[International](#)

[Thread Chart](#)

Titan Fittings is a registered member of the National Association For Hose and Accessories Distribution. |



© 2018 Titan Fittings. All rights reserved. | [Privacy Policy](#)

