



More Fittings. Higher Quality. Superior Service.

ISO 9001:2015

Home > Fittings & Adapters > Stainless Adapters > Oring Boss SAE/ORB >



37° JIC SAE FLARE MALE TO SAE O-RING BOSS ORB MALE RUN TEE (STAINLESS)

Material: 316 Stainless Steel

Standards: ASME B1.20.1, SAE AS71051


Comparable: AEROQUIP 203005, PARKER R50X-SS, SSP J-GRT, SAE 70428

View Larger Photo

JIC/AN SAE Flare Male to SAE O-Ring Boss ORB Male Run Tee

Item#	Item Name	Our Price	Qty	Add
SS-6804-04-04-04	SS-6804-04-04-04 1/4" 37° JIC (7/16"-20 thread) x 1/4" ORB (1-5/8"-12 thread) Male Run Tee - Stainless Steel	\$31.97		
SS-6804-06-06-06	SS-6804-06-06-06 3/8" 37° JIC (9/16"-18 thread) x 3/8" ORB (9/16"-18 thread) Male Run Tee - Stainless Steel	\$41.56		
SS-6804-08-08-08	SS-6804-08-08-08 1/2" 37° JIC (3/4"-16 thread) x 1/2" ORB (3/4"-16 thread) Male Run Tee - Stainless Steel	\$56.84		
SS-6804-10-10-10	SS-6804-10-10-10 5/8" 37° JIC x 5/8" ORB (7/8"-14 thread) Male Run Tee - Stainless Steel	\$127.86		
SS-6804-12-12-12	SS-6804-12-12-12 3/4" 37° JIC (1 1/16"-12 thread) x 3/4" ORB (1 1/16"-12 thread) Male Run Tee - Stainless Steel	\$154.07		
SS-6804-16-16-16	SS-6804-16-16-16 1" 37° JIC (1 5/16"-12 thread) x 1" ORB (1 5/16"-12 thread) Male Run Tee - Stainless Steel	\$182.9		

6-16	e - Stainless Steel	0	
SS-6804-20-20-20 0-20	SS-6804-20-20-20 1 1/4" 37° JIC (1 5/8"-12 thread) x 1 1/4" ORB (1-5/8"-12 thread) Male Run Tee - Stainless Steel	\$312.97	
SS-6804-24-24-24 4-24	SS-6804-24-24-24 1 1/2" 37° JIC (1 7/8"-12 thread) x 1 1/2" ORB (1-7/8"-12 thread) Male Run Tee - Stainless Steel	\$392.80	
SS-6804-32-32-32 2-32	SS-6804-32-32-32 2" 37° JIC (2 1/2"-12 thread) x 2" ORB (2 1/2"-12 thread) Male Run Tee - Stainless Steel	\$497.94	

Check the items you wish to purchase, then click 

Features:

37° JIC SAE Flare Male to SAE O-Ring Boss ORB Male Run Tee (Stainless)

Material: 316 Stainless Steel

Standards: ASME B1.20.1, SAE AS71051

Intercomparable: AEROQUIP 203005, PARKER R50X-SS, SSP J-GRT, SAE 70428

Product Details:


Pressure Ratings:

SAE J514 Pressure Ratings					
Nom. Size	Nom. Tube O.D. Inches	37 Degree Flare Straight Thread	Nom. Pipe Size	SAE St. Threads Union & Bulthead (PSI)	Fittings With Pipe Threads (PSI)
2	1/8	5/16"-24	1/8"	5000	5000
3	3/16	3/8"-24	1/8"	5000	5000
4	1/4	7/16"-20	1/8"	5000	5000
5	5/16	1/2"-20	1/8"	5000	5000
6	3/8	9/16"-18	1/4"	5000	5000
8	1/2	3/4"-16	3/8"	4500	4000
10	5/8	7/8"-14	1/2"	3500	3000

12	3/4	1 1/16"-12	3/4"	3500	3000
14	7/8	1 3/16"-12	3/4"	3000	2500
16	1	1 5/16"-12	1"	3000	2000
20	1 1/4	1 5/8"-12	1 1/4"	2500	1150
24	1 1/2	1 7/8"-12	1 1/2"	2000	1000
32	2	2 1/2"-12	2"	1500	1000

NOTE: Since many factors influence the pressure at which a system will or will not perform satisfactory, values shown in this table should not be construed as guaranteed minimum.

Dimensional Drawings:



PART NO.	MJ-1	MB-2	MJ-3	THREAD-1	THREAD-2	THREAD-3	A	B
SS-6804-04-04-04	1/4	1/4	1/4	7/16-20	7/16-20	7/16-20	1.054	0.95
SS-6804-06-06-06	3/8	3/8	3/8	9/16-18	9/16-18	9/16-18	1.282	1.09
SS-6804-08-08-08	1/2	1/2	1/2	3/4-16	3/4-16	3/4-16	1.484	1.288
SS-6804-10-10-10	5/8	5/8	5/8	7/8-14	7/8-14	7/8-14	1.45	1.701
SS-6804-12-12-12	3/4	3/4	3/4	1 1/16-12	1 1/16-12	1 1/16-12	1.936	1.673
SS-6804-16-16-16	1	1	1	1 5/16-12	1 5/16-12	1 5/16-12	2.036	1.867
SS-6804-20-20-20	1 1/4	1 1/4	1 1/4	1 5/8-12	1 5/8-12	1 5/8-12	2.316	2.086
SS-6804-24-24-24	1 1/2	1 1/2	1 1/2	1 7/8-12	1 7/8-12	1 7/8-12	2.33	2.39
SS-6804-32-32-32	2	2	2	2 1/2-12	2 1/2-12	2 1/2-12	3.06	2.89

Competitor Cross Reference:

INTERCHANGEABLE WITH:					
ITEM #	AEROQUIP	PARKER	SSP	SAE	MS
6804-04-04-04	259-203005-4-4	4 R50X-SS	J4GRT	70428	MS51530
6804-06-06-06	259-203005-6-6	6 R50X-SS	J6GRT	70428	MS51530
6804-08-08-08	259-203005-8-8	8 R50X-SS	J8GRT	70428	MS51530
6804-10-10-10	259-203005-10-10	10 R50X-SS	J10GRT	70428	MS51530
6804-12-12-12	259-203005-12-12	12 R50X-SS	J12GRT	70428	MS51530
6804-16-16-16	259-203005-16-16	16 R50X-SS	J16GRT	70428	MS51530
6804-20-20-20	259-203005-20-20	20 R50X-SS	J20GRT	70428	MS51530
6804-24-24-24	259-203005-24-24	24 R50X-SS	J24GRT	70428	MS51530
6804-32-32-32	259-203005-32-32	32 R50X-SS	J32GRT	70428	MS51530



Newsletter Signup for our newsletter and get the latest news.

Information

[About Us](#)

[Contact](#)

[Careers](#)

[ISO 9001](#)

[US Thread Chart](#)

[International](#)

[Thread Chart](#)

Products

[Product Index](#)

[Category Index](#)

[All Products](#)

[Product Catalogs](#)

Privacy and Security

[Return Policy](#)

[Terms and](#)

[Conditions](#)

[Help](#)

Connect



